

INSTITUTE FOR PLASMA RESEARCH
NEAR INDIRA BRIDGE, BHAT, GANDHINAGAR -382 428 (INDIA)

PART - I : FINANCIAL BID

Name of work: Tender for False ceiling / interior development and renovation work at first floor offices at Institute for Plasma Research (IPR), Bhat, Gandhinagar.

IPR TENDER Notice No : IPR/TN/CIVIL/03/2017 dated 28dn May 2017 (Two Bid System)

From

NAME OF THE CONTRACTOR :

Offer no & date:

Sr. No.	Description of Work	Unit	Total quantity	Rate (in Rs.)	Amount (in Rs.)
	Note : 1)For more detailed description of any material or item contained in the BOQ, please refer Part-II technical bid. If the detailed specs for a particular item is not contained in the Part-II technical bid, the description given in the BOQ shall have to be referred. 2) All items mentioned in the tender shall be executed as per the instruction and direction of Engineer-in-charge.				
A	CIVIL WORK				
1	Providing and fixing combination of Luxalon 75C & 150C unperforated aluminum panel ceiling manufactured by M/s. Hunter Douglas India Pvt. Ltd. of consisting of panel 75mm and 150mm wide x 15.50mm deep and of 0.50mm thick TCT (Total Coating Thickness) with bevel edge, panel length up to 6m, coil coated on a continuous paint line, double baked and roll formed from enameled corrosion resistance aluminum alloy HD 5050 for higher strength and good roll forming characteristics. The panels abet each other with a narrow V groove. Panel colour shall be of metallic finish of approved shade. Panel shall be clipped to a baked enameled panel carrier of 32mm wide x 39mm deep and 0.95mm thick in standard length of 5m made of doubled baked enameled aluminum alloy HD 5050 black in colour with cut outs to hold the panels in a module of 150mm at a distance of 1.2m c/c. Panel carrier shall be suspended by means of GI suspension rod 4mm diameter which is connected to GI hook fixed in ceiling and a galvanized suspension spring clip at a distance of 1.00m c/c or to be fixed with required size SS screws / fastners and washer directly with RCC structure. Luxalon 30B profile of size 30mm wide x 15mm deep with square edge of 0.35mm thick aluminum of approved colour or same colour as of panels shall be used as edge angle / wall angle. Panel splices made out of black enameled aluminum shall be used to join two panels. Carrier splice made out of black enameled aluminum 0.95mm thick. All the material including ceiling panel, carrier, wall angles, suepection system etc should be of approved manufacturer's specifications "M/s. Hunter Douglas India Pvt. Ltd." PAINT FINISH: Aluminum panels shall be chromatised for maximum bond between metal and paint, enameled twice under high	Sqm	1200		0.00
2	Providing and laying 25mm thick Phenotherm with Kraft paper facing on both sides with 32 Kg/sqm density (M/s Bakelite Hylum) , between RCC slab and metallic false ceiling to be fixed necessary hardware, chemical and fittings as instructed and directed by engineer-in-charge.	Sqm	1200		0.00

Sr. No.	Description of Work	Unit	Total quantity	Rate (in Rs.)	Amount (in Rs.)
3	Removing and re-fixing of existing electrical fixtures - fan including disconnection and reconnection of the same in operation condition, necessary connecting wiring work if required, cutting of the ceiling, screwing, stacking as directed etc; as instructed and directed by engineer-in-charge.	Each	100		0.00
4	Removing and re-fixing of existing electrical fixtures - tube light including disconnection and reconnection of the same in operation condition, necessary connecting wiring work if required, cutting of the ceiling, screwing, stacking as directed etc; as instructed and directed by engineer-in-charge.	Each	200		0.00
A	Total Amount for Works (A) (in `)				-
B	Rebate in Rs. (If Any):				
C	Total Amount for false ceiling works after rebate (in `)				-
D	Service Tax in %				
E	Service Tax (in `)				-
F	Total Amount for false ceiling works including Service Tax (in `)				-