

INSTITUTE FOR PLASMA RESEARCH

An Aided institute of department of Atomic Energy, Govt. of India)
Near Indira Bridge, Bhat. DIST.GANDHINAGAR - 382 428 (INDIA)
PHONE :(079-2396 2000),FAX :91-079-23962277
Web : www.ipr.res.in

MINOR FABRICATION WORKS ENQUIRY

Office Copy

ENQUIRY NO :IPR/MFW/21-22/130

Date : 24-02-2022

Due Date : 10-03-2022 13:00 IST

Please send your offer in sealed envelope specifying Inquiry No, Date & Due Date, ALONG WITH your credentials for the following items:

Important Note:

Please note that e-mail quotations are not acceptable however you may send your queries (if any) to sunilg@ipr.res.in

Please Ensure that your sealed quotation reaches this office not later than above mentioned due date and time.

Kindly go through the following document properly before Quoting which are available on the IPR web portal i.e., <http://www.ipr.res.in/documents/tenders.html/> attached here with.

1. Technical specification as enclosed.
2. Instruction to the bidders & terms and Condition (refer Form NO:**IPR-MFW-01-V1**)
3. Bidding format(refer Biddingformat MFW-Bid.pdf)

GST fro Goods and Services (IGST/CGST/SGST TAX BENEFITS): PLEASE REFER clause no:8 of Form No:**IPR-MFW-01-V1**

QUOTATION SHOULD BE ADDRESSED TO **SUNIL KUMAR** ONLY.

Sr.No.	Description	Quantity	Rate
1	Fabrication of Support Structures and Installation of Tx-line (Aluminium & Copper tubes) components at IPR site	1	No.

Free Issue Material

Sr.No.	Description	Quantity	Unit	Value
--------	-------------	----------	------	-------

Note : Please quote with complete technical details (Technical Compliance sheet and product data sheet)

Encl:As per attachment

Sd/-
SUNIL KUMAR
Scientific Officer-G

Fabrication of Support Structures and Installation of Tx-line (Aluminium & Copper tubes) components at IPR site

Scope of Work

1. Dismantling & Shifting of Tx-line Components & Support Structures

- a. Dismantling of existing Tx-line, matching components & its support structures and shifting them to RF lab.
- b. Shifting of new Tx-line components and support structures from RF lab to ICRH area in SST1 Hall.

2. Installation of Support structures and Tx-lines

- a. Fabrication, grouting and installation of support structures (ref. annexure-V) on SST1 ground floor/platform and walls (ref. annex-I overview). Grouting studs and nuts will be sourced by the vendor.
- b. Support structure (ref. annexure-V) should be made with the help of standard 60 mm x 60 mm Aluminium T-slot extrusion channels and compatible fasteners (provided by IPR).
- c. Installation of U-supports (ref. annexure-V). These support will be provided by IPR.
- c. Indicative drawing of the supports & Tx-lines and their locations with approximate dimensions are attached (ref. annexure-II, III & IV).
- d. An indicative drawing with overall dimensions are given here, however, the vendor should make the final assembly taking care of various other structures/systems nearby the installation site.
- e. Assembly of Tx-line sections (9" & 4" size tube sections, brass Joints & Teflon discs supplied by IPR) as per attached drawings (ref. annexure-II) to be made.
- f. Installation of Tx-line sections & matching system as per attached layout (ref. annexure-I, II, III & IV) is to be executed.
- g. Making touch-up of wall and floor wherever the holes and other damages are made during the installation.

3. Welding of Al Flanges to Al tubes to make customised Tx-line sections

- a. Few Tx-line sections (max. 8 nos.) should be made on site by changing the existing length of lines to accommodate them within the existing space.
- b. All the required materials will be supplied by IPR. The vendor has to cut the tubes as per requirement and weld the flange on it.

4. Testing of Tx-line assembly

- a. The Tx-line assembly will be tested upto 3 bar pneumatic pressure. If any leak(s) found then same will be repaired by the vendor.

5. General Conditions

- a. The vendor has to bring their own tools & machines on returnable basis required for cutting, welding, grouting & drilling etc.
- b. The vendor has to deploy skilled manpower for executing the work contract. Welder should have good knowledge of aluminium welding.
- c. The installation of supports & Tx-line components will be at elevated height and ground floor level.
- d. Work will be carried out from Monday to Friday from 9:30 am to 5:30 pm. In case of exceptional circumstances, where long working hours are required to finish some critical job, the same may be possible (including Saturday/Sunday working) subject to permission

from concerned authority. Necessary precautions shall be taken to ensure the safety of the equipment and personnel working on the task.

- e. The workers have to follow IPR general & corona safety guidelines as per instructions of the authority issued time to time.
- f. **Duration:** Six months from date of commencement (intimation to vendor) of work order. The work will be executed in phased manner as per detail given below. The date of commencement of each phase will be intimated 10-15 days in advance.

Phase-I : Dismantling of existing Tx-line Components & Support structures from inside the SST1 Hall and shifting of dismantled components and support structure to RF lab. (Expected duration 4 weeks*).

Phase-II: Installation of new support structures and Aluminium Tx-lines inside the SST1 Hall/ICRH area as per attached layout (ref. annexure-I, II, III, IV & V). (Expected duration 12 weeks*)



Phase-III: Welding/brazing of Al Flanges to Al tubes to make customised Tx-line sections (Expected duration 04 weeks*)

Phase-IV: Testing of Tx-line assembly after installation (Expected duration 04 weeks*)


*The duration of each phase or entire work order can be delayed/further extended due to arise of unforeseen circumstances. The vendor has to accept the same.

- g. Vendor is requested to visit the IPR site to understand the scope of work in order to get realistic estimation.

Annexure-I: Overview of Tx-line & matching system layout inside SST1 Hall



Annexure-II: Overview of Tx-line & matching system layout inside SST1 Hall/ICRH Area




Tx-Line Assembly

DRG. NO		▽ 8.25		▽▽ 1.6-8		▽▽▽ 0.025-1.6		▽▽▽▽ < 0.025																																	
CO-ORDINATED BY																																									
MACHINING DEVIATIONS FOR NON-TOLERANCED DIMENSIONS																																									
LENGTH IN MM OF SHORTER SIDE OF ANGLES		UP TO 10		10-50		50-120		OVER 120-400																																	
UP TO 10		10-50		50-120		50-120		OVER 120-400																																	
+1°		+0°-30°		+0°-20°		+0°-10°																																			
LENGTH		6		30-120		120-315																																			
DIA		+0.1		+0.2		+0.3		+0.5																																	
<table border="1"> <thead> <tr> <th colspan="2">REVISION COLUMN</th> <th>REV</th> <th>ZONE</th> <th>DESCRIPTION</th> <th>DATE</th> <th>REMARKS</th> <th>APPROVED</th> </tr> </thead> <tbody> <tr> <td colspan="2">ASS'Y GROUP:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">ALL DIMENSIONS ARE IN "mm"</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">UNLESS OTHERWISE STATED</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										REVISION COLUMN		REV	ZONE	DESCRIPTION	DATE	REMARKS	APPROVED	ASS'Y GROUP:								ALL DIMENSIONS ARE IN "mm"								UNLESS OTHERWISE STATED							
REVISION COLUMN		REV	ZONE	DESCRIPTION	DATE	REMARKS	APPROVED																																		
ASS'Y GROUP:																																									
ALL DIMENSIONS ARE IN "mm"																																									
UNLESS OTHERWISE STATED																																									
SCALE		1:1		DATE		DRAWN		K.R.R. 07/08/21																																	
CHECKED																																									
APPROVED																																									
REF. DRG. NO.:		IPR/17/AS/		/XXXX		REV. 0		SHEET 1 OF 1																																	
DRG. NO.		IPR/17/AS/		/XXXX																																					


Institute for Plasma Research
 भारतीय अंतरिक्ष प्रयोगशाला
 Bharat Kavi Institute of Space Research (India)

Annexure-IV: Side view of Tx-line & matching system inside SST1 Hall/ICRH Area



DRG. NO		▽ 8-25	▽▽ 1.6-6	▽▽▽ 0.025-1.6	▽▽▽▽ < 0.025	REVISION COLUMN		ASS'Y GROUP:		REF DRG NO:		REV 0
CO-ORDINATED BY						REV ZONE	DESCRIPTION	DATE	REMARKS	APPROVED	SHEET 1 OF 1	
MACHINING DEVIATIONS FOR NON-TOLERANCED DIMENSIONS												
LENGTH IN MM OF SHORTER SIDE OF ANGLES		LENGTH OR DIA		TOL								
UPTO 10	10-50	60-120	OVER 120-400	UPTO 6	6-30	30-120	120-316					
+1°	+0°-30'	+0°-20'	+0°-10'	+0.1	+0.2	+0.3	+0.5					
DRG. NO		IPR/17/A3/		/XXXX								
TITLE		Institute for Plasma Research Saty, Near Indira Bridge, Gandhinagar, Gandhinagar, Gandhinagar (India)										
SCALE		1:1										
DRAWN		K.R.R.										
CHECKED		01/09/21										
APPROVED												

Annexure-V: Support Structure of Tx-line inside SST1 Hall/ICRH Area





Form No: IPR-MFW-01.V 1

INSTRUCTIONS TO BIDDERS AND TERMS AND CONDITIONS

1. The Quotation and any order resulting from this enquiry shall be governed by our Conditions of Work Order and Contractor quoting this enquiry shall be deemed to have read and understood the same completely.
2. Where counter terms and conditions have been offered by the Tenderer, the same shall not be deemed to have been accepted by IPR unless our specific written acceptance thereof is obtained.
3. Quotation: Quotation should be submitted in the prescribed QUOTATION FORMAT attached with this Enquiry and the same should be submitted in a sealed envelope super-scribing the same with our enquiry No., date, due date and brief description of item on or before the due date. Late/delayed/incomplete/unsigned quotations will not be considered. Envelopes received without Enquiry number, date, due date and brief description of item may be rejected. The quoted prices should be firm for a period of 90 days from due date for placing order. IPR is not bound to accept lowest rate/s. IPR reserves the right to place on one or more parties. The scope of supply includes insurance by the Contractor.
4. Specifications: Goods should be offered strictly confirming to our specifications/drawings. Deviation, if any, should be clearly indicated by the contractor in their quotation. The Tenderer should also indicate the Make/Type number of the goods offered and catalogues, technical literature and samples, wherever necessary should accompany the quotation. Clarification/s on drawings should be obtained before submitting quotation.
5. Terms of Prices: Quotation should be submitted on door delivery basis without extra charge wherever possible. For quotations on Ex-Works, Ex-godown basis the approximate packing and forwarding charges should be indicated by the contractor. In the case of local contractors, the goods are to be delivered at our stores free of charge.
- 5.1 In respect of tenders on Ex-works basis, in case the tenderer has not mentioned in the offer packing, forwarding and transportation charges for safe delivery up to Purchaser's site, 2% of the price quoted towards packing (in respect of both local and outstation firms), 1% of the basic price quoted towards safe delivery charges in respect of local tenderer and 3% of the basic price quoted towards safe delivery charges in respect of outstation firm will be added for comparison of offers on safe door delivery at Purchaser's site.
- 5.2 Prices are required to be quoted according to the units indicated in the tender form/Enquiry. When Quotations are given in terms of units other than those specified in the tender form, relationship between the two sets of units must be furnished
6. Tender should be free from Correction and Erasures. Corrections, if any, must be attested. All amounts shall be indicated both in words as well as in figures. Where there is difference between amounts quoted in words and figures, amount quoted in words shall prevail. Unsigned quotations will summarily be rejected. If there is a discrepancy between the unit price and total price, unit price shall prevail.
7. IPR shall be under no obligation to accept the lowest or any tender and reserves the right of acceptance of the whole or any part of the tender or portion of the quantity offered and the tenderers shall supply the same at the rate quoted.
8. Goods & Services Tax (GST): The details of Taxes/GST and other levies legally applicable and intended to be claimed should be clearly indicated in the tender. Where this is not done, no claim on these accounts would be admissible later.
 - a) GST for Goods (IGST/CGST/SGST TAX BENEFITS):
IPR is entitled to avail tax benefit as per the following notifications issued by Ministry of Finance, Department of Revenue, Government of India:
(1) No: 47/2017-INTEGRATED TAX (RATE) DATED 14/11/17 for IGST
(2) No: 45/2017-CENTRAL TAX (RATE) DATED 14/11/17 for CGST
And,
IPR is entitled to avail tax benefit as per the following notifications issued by Finance Department, Government of Gujarat:
(1) No. 45/2017-STATE TAX (RATE) DATED 15/11/17 for SGST
As per above notifications IPR will bear only 5% IGST for procurement of goods from outside Gujarat & 2.5% CGST and 2.5% SGST (total 5%) for procurement of goods within Gujarat. Vendors are required to charge tax as per these notifications while quoting/supplying the goods. Deviations, (if any) should be clearly mentioned in the quotation/offer.
Please specify the HSN codes while quoting.
 - b) GST for Services:
As applicable. **Specify the SAC codes wherever services are involved.**
9. Delivery Date: Delivery period is essence of the Contract. Contractor must indicate the firm delivery date by which the goods will be dispatched or delivered by them from the date of our order. Delivery period shall be clearly indicated against each item separately.
10. Price/ Purchase Preference: Purchase/Price preference to industries will be given as per the policy of the Government of India in force at the time of evaluation provided their offer is in compliance with the conditions of the policy.



प्लाज्मा अनसंधान संस्थान

(भाट, इन्दिरा पुल के पास, गांधीनगर 382428 - , गुजरात)

Institute for Plasma Research
Bhat, Near Indira Bridge, Gandhinagar - 382428, Gujarat (INDIA)



11. Liquidated Damages: The successful Vendor/Bidder should pay liquidated damages @ X% (half percent) of the total work order value for the delay of each week in the scheduled date of completion of the work envisaged in the Work Order subject to a maximum of 5% (Five percent) of the total Work Order value.
12. Inspection: Goods on its arrival at IPR will be inspected by Stores, and his decision in the matter will be final. However, where the items are required to be inspected at the Contractors Premises, Contractor has to give advance notice regarding readiness of the Goods to enable us to depute our representative for inspection.
13. Payment: Payment will be arranged for accepted goods only within 30 days from the date of receipt of goods at IPR and bills in our accounts section, completed in all respects.
14. No correspondence will be entertained within 30 days from the date of receipt of good and bills, whichever is later.
15. Guarantee: The Stores offered should be guaranteed for a minimum period of twelve months, from that date of acceptance, against defective Goods, design, workmanship, operation or manufacture. For defects noticed and communicated during the Guarantee period, replacement/rectification should be arranged free of cost within a reasonable period of such notifications. In case where our specifications call for a guarantee period more than 12 months specifically, then such a period shall apply.
16. Performance Bank Guarantee: If demanded by IPR, the successful bidder will have to furnish Performance Bank Guarantee for 10% of the order value (basic price) from a Nationalized/Scheduled Bank/State Bank of India, valid throughout the Guarantee/Warranty period. The scheduled banks approved by IPR are Axis Bank, HDFC Bank, ICICI Bank and IDBI Bank. Bank Guarantees submitted other than from banks approved by IPR will not be accepted.
17. Security Deposit: If demanded the successful Bidder will have to furnish to the Purchaser an interest free security deposit for 10% (Ten percent) of the order value in the form of Bank Guarantee of an equivalent amount from a nationalized/ scheduled Bank/State Bank of India within 15 days from the date of work order and the said Guarantee should be valid till the goods are accepted by IPR. The scheduled banks approved by IPR are Axis Bank, HDFC Bank, ICICI Bank and IDBI Bank. Bank Guarantees submitted other than from banks approved by IPR will not be accepted. The Security deposit shall be forfeited in case the selected Bidder does not start the work within the time limit specified or fail to complete the work within the stipulated delivery period or fail to comply with any of the terms and conditions in the work order. On successful completion of scope of work and its acceptance by IPR, Contractor should send a letter requesting return of the original BG.
18. The Contractor shall at all times indemnify the purchase against all claims which may be made in respect of the stores for infringement of any right protected by Patent Registration of design or Trade Mark and shall take all risk of accidents or damage, which may cause failure of supply from whatever cause arising and the entire responsibility for sufficiency of all means used by him for the fulfilment of the contract.
19. Free Issue Material (FIM): Successful tenderer will have to arrange insurance showing beneficiary as "Institute for Plasma Research" at their risk and cost towards adequate security for the materials/property provided/issued by the Purchaser as Free Issue Material for the due execution of the contract.
20. The Director, IPR reserves the right to accept or reject any quotations fully or partly or to cancel the enquiry without assigning any reason.
21. Jurisdiction: The contract shall be governed by the Laws of India for the time being in force. The Courts of Gandhinagar only shall have jurisdiction to deal with and decide any legal or dispute arising out of this Contract.

(This need to be printed in Bidders letter head)

1. Please quote with complete technical details along with technical compliance sheet.
2. Quotation should be submitted in the format given below, else IPR shall not consider the offer by the vendor.

NAME OF PARTY : _____

ENQUIRY NO: _____

QUOTATION No. & DATE : _____

Currency of Quotation: **Indian Rupees**

Sr. No.	Item Description	HSN/SAC Code	Quantity	Unit Rate (Basic)	Packaging & forwarding (P&F)	Applicable GST	Rate (incl P&F and GST)	Total Value
			a	b	c	d	e = b + c + d	f = a * e
1								
2								
3								
4								
5								
6								

Sr. No.	Particular	Remarks
I.	Ex-works / FOR Destination	
II.	Freight	
III.	Insurance	
IV.	Delivery Period	
V.	Payment (IPR terms will apply)	
VI.	Guarantee / Warrantee	
VII.	Validity Period	
VIII.	Discount (if any)	
IX.	Remarks	

Place: Authority Signatory

Date: Company Seal

Note:

1. Bidder should submit the copy of GSTIN / ARN Certificate along with the offer
2. Bidder should specify the SUPPLY and SERVICE rates/ charges separately wherever applicable